

## **APPENDIX 5**

**OMYA Verpol Plant  
Groundwater Quality Data  
Onsite AM, FC, and Methylamine Results**

	Laboratory		Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne
Location	Parameter	Units	VGES	2/24/2003	3/6/2003	4/22/2003	11/6/2003	3/18/2004	5/25/2005	10/25/2005	11/15/2005	4/24/2006
Well #5	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005		ND < 0.0005	ND < 0.0005	ND < 0.0005		ND < 0.0005	ND < 0.001
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1			ND < 0.1	ND < 0.1			ND < 0.1
	Methylamine	ppm	280 (e)	ND < 3.0	ND < 3.0		ND < 1.0	ND < 1.0	ND < 0.2		ND < 0.001	ND < 0.5
Well #96-1	Acrylamide Monomer	ppm	0.0005 (b)							ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)							ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)							ND < 1.0		ND < 0.5
Well #96-2	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005							
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1							
	Methylamine	ppm	280 (e)	ND < 3.0	ND < 3.0							
Well #2	Acrylamide Monomer	ppm	0.0005 (b)							ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)							ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)							ND < 1.0		ND < 0.5
Well A	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005			ND < 0.0005	ND < 0.0005	ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1			ND < 0.1	ND < 0.1	ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)	ND < 3.0	ND < 3.0			ND < 1.0	ND < 0.2	ND < 1.0		ND < 0.5
Well B	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005		ND < 0.0005	ND < 0.0005	ND < 0.0005	ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1			ND < 0.1	ND < 0.1	ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)	ND < 3.0	ND < 3.0		ND < 1.0	ND < 1.0	ND < 0.2	ND < 1.0		ND < 0.5
Well C	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005		ND < 0.0005	ND < 0.0005	ND < 0.0005			
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1			ND < 0.1	ND < 0.1			
	Methylamine	ppm	280 (e)	ND < 3.0	ND < 3.0		ND < 1.0	ND < 1.0	ND < 0.2			
Well C-2	Acrylamide Monomer	ppm	0.0005 (b)							ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)							ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)							ND < 1.0		ND < 0.5
Well D	Acrylamide Monomer	ppm	0.0005 (b)									
	Free Chlorine	ppm	4.0 (c)									
	Methylamine	ppm	280 (e)									
Well E	Acrylamide Monomer	ppm	0.0005 (b)									
	Free Chlorine	ppm	4.0 (c)									
	Methylamine	ppm	280 (e)									
Well F	Acrylamide Monomer	ppm	0.0005 (b)									
	Free Chlorine	ppm	4.0 (c)									
	Methylamine	ppm	280 (e)									
Well G	Acrylamide Monomer	ppm	0.0005 (b)							ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)							ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)							ND < 1.0		ND < 0.5
Well H	Acrylamide Monomer	ppm	0.0005 (b)							ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)							ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)							ND < 1.0		0.6***
Well I	Acrylamide Monomer	ppm	0.0005 (b)							ND < 0.0005		ND < 0.001
	Free Chlorine	ppm	4.0 (c)							ND < 0.1		ND < 0.1
	Methylamine	ppm	280 (e)							ND < 1.0		ND < 0.5
MW-10	Acrylamide Monomer	ppm	0.0005 (b)									
	Free Chlorine	ppm	4.0 (c)									
	Methylamine	ppm	280 (e)									

(b) = EPA drinking water standard  
(c) = VT Drinking Water Standard  
(e) = No Standard Established

"ND" = Non-detect

Blank Cell = No Data Collected

(J) = Estimated Value

\*\*\*Invalid based on detections of methylamine in equipment blanks

UR = Under Range

FT = field test by H2 field technicians using HACH Odyssey Spectrophotometer, method 8021

**OMYA Verpol Plant**  
**Groundwater Quality Data**  
**Onsite AM, FC, and Methylamine Results**

Location	Parameter	Units	Endyne				
			4/24/2006 (dup)	11/13/2006	11/13/2006 (dup)	5/29/2007	5/29/2007 (dup)
Well #5	Acrylamide Monomer	ppm		ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm					0.07 (FT)
	Methylamine	ppm					
Well #96-1	Acrylamide Monomer	ppm	ND < 0.001	ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm	ND < 0.1				0.01 (FT)
	Methylamine	ppm	ND < 0.5				
Well #96-2	Acrylamide Monomer	ppm		ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm					0.07 (FT)
	Methylamine	ppm					
Well #2	Acrylamide Monomer	ppm		ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm					UR (FT)
	Methylamine	ppm					
Well A	Acrylamide Monomer	ppm	ND < 0.001	ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm	ND < 0.1				0.08 (FT)
	Methylamine	ppm	ND < 0.5				
Well B	Acrylamide Monomer	ppm		ND < 0.0005	ND < 0.0005		ND < 0.0005
	Free Chlorine	ppm					0.12 (FT)
	Methylamine	ppm					
Well C	Acrylamide Monomer	ppm					ND < 0.0005
	Free Chlorine	ppm					UR (FT)
	Methylamine	ppm					
Well C-2	Acrylamide Monomer	ppm		ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm					0.11 (FT)
	Methylamine	ppm					ND < 0.0005
Well D	Acrylamide Monomer	ppm					ND < 0.0005
	Free Chlorine	ppm					0.05 (FT)
	Methylamine	ppm					
Well E	Acrylamide Monomer	ppm					ND < 0.0005
	Free Chlorine	ppm					UR (FT)
	Methylamine	ppm					
Well F	Acrylamide Monomer	ppm					ND < 0.0005
	Free Chlorine	ppm					0.17 (FT)
	Methylamine	ppm					
Well G	Acrylamide Monomer	ppm		ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm					0.19 (FT)
	Methylamine	ppm					
Well H	Acrylamide Monomer	ppm		ND < 0.001			ND < 0.0005
	Free Chlorine	ppm					UR (FT)
	Methylamine	ppm					
Well I	Acrylamide Monomer	ppm		ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm					0.14 (FT)
	Methylamine	ppm					
MW-10	Acrylamide Monomer	ppm		ND < 0.0005			ND < 0.0005
	Free Chlorine	ppm					UR (FT)
	Methylamine	ppm					

(b) = EPA drinking water standard  
(c) = VT Drinking Water Standard  
(e) = No Standard Established

"ND" = Non-detect

Blank Cell = No Data Collected

(J) = Estimated Value

\*\*\*Invalid based on detections of methylamine in equipment blanks

UR = Under Range

FT = field test by H2 field technicians using HACH Odyssey Spectrophotometer, method 8021

OMYA Verpol Plant  
Groundwater Quality Data  
Offsite AM, FC, and Methylamine Results

Location	Laboratory	Parameter	Units	VGES	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne
					3/18/2004	6/15/2005	10/25/2005	4/24/2006	11/13/2006	11/13/2006 (dup)	5/29/2007
Pittsford/Florence	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005	ND < 0.0005	ND < 0.001	ND < 0.0005		ND < 0.0005	ND < 0.0005
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1			NA
	Methylamine	ppm	280 (e)	ND < 1.0	ND < 1.0	ND < 1.0	ND < 0.5	ND < 0.5			
Chrusciel Spring	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005	ND < 0.0005	ND < 0.001	ND < 0.0005	ND < 0.0005	ND < 0.0005	
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	0.01 (FT)	
	Methylamine	ppm	280 (e)	ND < 1.0	ND < 1.0	ND < 1.0	ND < 0.5	ND < 0.5	ND < 0.5		
Orvis Spring	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005	ND < 0.0005	ND < 0.001	ND < 0.0005		ND < 0.0005	
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	0.12 (FT)	
	Methylamine	ppm	280 (e)	ND < 1.0	ND < 1.0	ND < 1.0	ND < 0.5	ND < 0.5			
Sandillo	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005	ND < 0.0005	ND < 0.001	ND < 0.0005		ND < 0.0005	
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	0.14 (FT)	
	Methylamine	ppm	280 (e)	ND < 1.0	ND < 1.0	ND < 1.0	ND < 0.5	ND < 0.5			
Eugair BR Well	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005	ND < 0.0005	ND < 0.0005	ND < 0.001	ND < 0.0005		ND < 0.0005	
	Free Chlorine	ppm	4.0 (c)	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	ND < 0.1	NA	
	Methylamine	ppm	280 (e)	ND < 1.0	ND < 1.0	ND < 1.0	ND < 0.5	ND < 0.5			
Eugair House	Acrylamide Monomer	ppm	0.0005 (b)			ND < 0.0005	ND < 0.001	ND < 0.0005		ND < 0.0005	
	Free Chlorine	ppm	4.0 (c)				ND < 0.1	ND < 0.1	ND < 0.1	NA	
	Methylamine	ppm	280 (e)			ND < 1.0	ND < 0.5	ND < 0.5			
Eugair SD Well	Acrylamide Monomer	ppm	0.0005 (b)					ND < 0.0005		ND < 0.0005	
	Free Chlorine	ppm	4.0 (c)					ND < 0.1		NA	
	Methylamine	ppm	280 (e)					ND < 0.5			
LaFlamme	Acrylamide Monomer	ppm	0.0005 (b)								
	Free Chlorine	ppm	4.0 (c)								
	Methylamine	ppm	280 (e)								
Chapin	Acrylamide Monomer	ppm	0.0005 (b)				ND < 0.001				
	Free Chlorine	ppm	4.0 (c)				ND < 0.1				
	Methylamine	ppm	280 (e)				ND < 0.5				
Devereaux	Acrylamide Monomer	ppm	0.0005 (b)			ND < 0.0005					
	Free Chlorine	ppm	4.0 (c)				ND < 0.1				
	Methylamine	ppm	280 (e)				ND < 1.0				
Ferraro	Acrylamide Monomer	ppm	0.0005 (b)			ND < 0.0005					
	Free Chlorine	ppm	4.0 (c)				ND < 0.1				
	Methylamine	ppm	280 (e)				ND < 1.0				
Doug Hard	Acrylamide Monomer	ppm	0.0005 (b)			ND < 0.0005					
	Free Chlorine	ppm	4.0 (c)				ND < 0.1				
	Methylamine	ppm	280 (e)				ND < 1.0				
P. Hard	Acrylamide Monomer	ppm	0.0005 (b)			ND < 0.0005					
	Free Chlorine	ppm	4.0 (c)				ND < 0.1				
	Methylamine	ppm	280 (e)				ND < 1.0				

(b) = EPA drinking water standard  
(c) = VT Drinking Water Standard  
(e) = No Standard Established

"ND" = Non-detect  
Blank Cell = No Data Collected  
(J) = Estimated Value  
FT = analysis performed as field test by H2 field technicians using HACH Odyssey Spectrophotometer, method 8021

OMYA Verpol Plant  
Groundwater Quality Data  
Offsite AM, FC, and Methylamine Results

	Laboratory			Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne
Location	Parameter	Units	VGES	3/18/2004	6/15/2005	10/25/2005	4/24/2006	11/13/2006	11/13/2006 (dup)	5/29/2007	5/29/07 (dup)
L&S Rosato	Acrylamide Monomer	ppm	0.0005 (b)	ND < 0.0005							
	Free Chlorine	ppm	4.0 (c)	ND < 0.1							
	Methylamine	ppm	280 (e)	ND < 1.0							
U. Rosato	Acrylamide Monomer	ppm	0.0005 (b)				ND < 0.001				
	Free Chlorine	ppm	4.0 (c)				ND < 0.1				
	Methylamine	ppm	280 (e)				ND < 0.5				
Scarcello	Acrylamide Monomer	ppm	0.0005 (b)			ND < 0.0005					
	Free Chlorine	ppm	4.0 (c)			ND < 0.1					
	Methylamine	ppm	280 (e)			ND < 1.0					
VELCO	Acrylamide Monomer	ppm	0.0005 (b)			ND < 0.0005					
	Free Chlorine	ppm	4.0 (c)			ND < 0.1					
	Methylamine	ppm	280 (e)			ND < 1.0					

(b) = EPA drinking water standard  
(c) = VT Drinking Water Standard  
(e) = No Standard Established

"ND" = Non-detect  
Blank Cell = No Data Collected  
(J) = Estimated Value  
FT = analysis performed as field test by H2 field technicians using HACH Odyssey Spectrophotometer, method 8021

OMYA Verpol Plant  
Surface Water Offsite AM, FC, and Methylamine Results

Location	Laboratory Parameter	Units	VWQS	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	Endyne	
				2/3/2003	2/10/2003	4/22/2003	5/11/2004	7/15/2004	5/25/2005	10/25/2005	4/24/2006	11/13/2006	5/29/2007	
Seep 1	Acrylamide Monomer	ppb	0.5 (a)											
	Free Chlorine	ppb	11 (b)											
	Methylamine	ppb	280000 (f)											
East Settling Pond	Acrylamide Monomer	ppb	0.5 (a)											
	Free Chlorine	ppb	11 (b)											
	Methylamine	ppb	280000 (f)											
PO-5 Swald	Acrylamide Monomer	ppb	0.5 (a)	ND < 0.5		ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 0.5	ND < 1.0	ND < 0.5	ND < 0.5
	Free Chlorine	ppb	11 (b)	ND < 100		ND < 100	ND < 100	ND < 100	ND < 100	ND < 100	ND < 100	ND < 100		UR (FT)
	Methylamine	ppb	280000 (f)	ND < 3000		ND < 1000	ND < 1000	ND < 1000	ND < 200	ND < 200	ND < 200	ND < 500		
PO-4 Swale	Acrylamide Monomer	ppb	0.5 (a)				ND < 0.5	ND < 0.5					ND < 0.5	ND < 0.5
	Free Chlorine	ppb	11 (b)				ND < 100	ND < 100						UR (FT)
	Methylamine	ppb	280000 (f)				ND < 1000	ND < 1000						
PO-3 Swale	Acrylamide Monomer	ppb	0.5 (a)					ND < 0.5					ND < 0.5	ND < 0.5
	Free Chlorine	ppb	11 (b)					ND < 100						60 (FT)
	Methylamine	ppb	280000 (f)					ND < 1000						
PO-2 Swale	Acrylamide Monomer	ppb	0.5 (a)				ND < 0.5	ND < 0.5					ND < 0.5	ND < 0.5
	Free Chlorine	ppb	11 (b)				ND < 100	ND < 100						70 (FT)
	Methylamine	ppb	280000 (f)				ND < 1000	ND < 1000						
PO-1 Swale	Acrylamide Monomer	ppb	0.5 (a)				ND < 0.5	ND < 0.5					ND < 0.5	ND < 0.5
	Free Chlorine	ppb	11 (b)				ND < 100	ND < 100						180 (FT)
	Methylamine	ppb	280000 (f)				ND < 1000	ND < 1000						
On-Site Garage Swale	Acrylamide Monomer	ppb	0.5 (a)		ND < 0.5									
	Free Chlorine	ppb	11 (b)		ND < 100									
	Methylamine	ppb	280000 (f)		ND < 3000									

"ND" = Non-detect  
Blank Cell = No Data Collected  
(J) = Estimated Value  
UR = Under Range  
FT = field test by H2 field technicians using HACH Odyssey Spectrophotometer, method 8021

**OMYA Verpol Plant  
Groundwater Quality Data  
Onsite TPH-DRO Results**

	Laboratory			
Location	Parameter	Units	5/29/2007	5/29/2007 (dup)
Well #5	Diesel Fuel	mg/L	ND < 0.096	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well #96-1	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well #96-2	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well #2	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well A	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well B	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well C	Diesel Fuel	mg/L	ND < 0.095	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well C-2	Diesel Fuel	mg/L	ND < 0.096	ND < 0.095
	Motor Oil	mg/L	ND < 0.24	0.31 (X)
	TOTAL DRO	mg/L	ND < 0.34	0.31 (J)
Well D	Diesel Fuel	mg/L	ND < 0.095	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well E	Diesel Fuel	mg/L	ND < 0.095	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well F	Diesel Fuel	mg/L	ND < 0.095	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well G	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well H	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
Well I	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.240	
	TOTAL DRO	mg/L	ND < 0.33	
MW-10	Diesel Fuel	mg/L	ND < 0.094	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	

"ND" = Non-detect

Blank Cell = No Data Collected

(J) = Estimated Value

(X) = defined as an atypical pattern. There was chromatographic area present in the motor oil range, but the pattern did not resemble a motor oil pattern.

**OMYA Verpol Plant  
Groundwater Quality Data  
Offsite TPH-DRO Results**

	Laboratory		TestAmerica	TestAmerica
Location	Parameter	Units	5/29/2007	5/29/2007 (dup)
<b>Pittsford/Florence</b>	Diesel Fuel	mg/L	ND < 0.097	ND < 0.096
	Motor Oil	mg/L	ND < 0.24	ND < 0.24
	TOTAL DRO	mg/L	ND < 0.34	ND < 0.33
<b>Chrusciel Spring</b>	Diesel Fuel	mg/L	0.21 (J*)	
	Motor Oil	mg/L	0.82 (J*)	
	TOTAL DRO	mg/L	1.00 (J*)	
<b>Orvis Spring</b>	Diesel Fuel	mg/L	ND < 0.096	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.34	
<b>Sandillo</b>	Diesel Fuel	mg/L	ND < 0.096	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.34	
<b>Eugair BR Well</b>	Diesel Fuel	mg/L	ND < 0.095	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
<b>Eugair House</b>	Diesel Fuel	mg/L	ND < 0.095	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.33	
<b>Eugair SD Well</b>	Diesel Fuel	mg/L	ND < 0.097	
	Motor Oil	mg/L	ND < 0.24	
	TOTAL DRO	mg/L	ND < 0.34	

(J\*) - flagged as an estimated value based on H&N's data validation

"ND" = Non-detect  
Blank Cell = No Data Collected  
(J) = Estimated Value

**OMYA Verpol Plant  
Surface Water Offsite TPH-DRO Results**

	Laboratory		TestAmerica
Location	Parameter	Units	5/29/2007
PO Swale - 5	Diesel	ppm	ND < 0.094
	Motor Oil	ppm	0.49 (X)
	TOTAL DRO	ppm	0.49
PO Swale - 4	Diesel	ppm	ND < 0.094
	Motor Oil	ppm	ND < 0.24
	TOTAL DRO	ppm	ND < 0.33
PO Swale - 3	Diesel	ppm	ND < 0.099
	Motor Oil	ppm	ND < 0.25
	TOTAL DRO	ppm	ND < 0.34
PO Swale - 2	Diesel	ppm	ND < 0.095
	Motor Oil	ppm	ND < 0.24
	TOTAL DRO	ppm	ND < 0.33
PO Swale - 1	Diesel	ppm	ND < 0.11
	Motor Oil	ppm	ND < 0.28
	TOTAL DRO	ppm	ND < 0.39

J = estimated value

X = defined as an atypical pattern. There was chromatographic area present in the motor oil range, but the pattern did not resemble a motor oil pattern

"ND" = Non-detect

Blank Cell = No Data Collected

(J) = Estimated Value

(X) = defined as an atypical pattern. There was chromatographic area present in the motor oil range, but the pattern did not resemble a motor oil pattern.

**OMYA Verpol Plant  
Groundwater Quality Results  
Equipment Blank Results**

	Laboratory		TestAmerica
Location	Parameter	Units	5/29/2007
Equipment Blank "EB-BP" Bladder Pump	AG-24	mg/L	ND < 0.025
	TAA	ug/L	ND < 6.10
	IM	ug/L	ND < 8.28
	AEEA	ug/L	ND < 2.49
	DT	ug/L	ND < 0.08
	Diesel Fuel	ug/L	ND < 0.094
	Motor oil	ug/L	ND < 0.24
	TOTAL DRO	ug/L	ND < 0.33
	8260		non-detect
	8270		non-detect
	acrylamide monomer		non-detect
Equipment Blank "EB" Redi Flo Pump	AG-24	mg/L	ND < 0.025
	TAA	ug/L	ND < 6.10
	IM	ug/L	ND < 8.28
	AEEA	ug/L	ND < 2.49
	DT	ug/L	ND < 0.08
	Diesel Fuel	ug/L	ND < 0.094
	Motor oil	ug/L	ND < 0.24
	TOTAL DRO	ug/L	ND < 0.33
	8260		non-detect
	8270		non-detect
	acrylamide monomer		non-detect